

CRAWLER ELECTRIC STAIR CLIMBER CT420S


| Intelligent | Safe | Durable |



CRAWLER ELECTRIC STAIR CLIMBER CT420S



- Loading Up to 420KG
- Auxiliary support design for the last staircase
- Control CT420S by operating the joystick, no labor force required
- Equipped With Independent Non-marking & Non Slipping Crawler Track
- Manoeuvring In Narrow Space
- Easy Movement On Flat Surface And Stairs, Both Indoors And Outdoors
- With Intelligent Loading Board Automatically Adjust The Load Tilt On Stairs
- Powered By Portable Rechargeable Lithium Battery Pack, It Is Long Lasting
- Low Noise And Non-interface to Outside
- One Finger Control Switch From One Working Mode to Another



Mobile Beam
Free Installation With Adjustable Height



Portable Rechargeable Lithium Battery
Plug&Play, Eco-friendly

Self Balance Loading Board



Multiple Handler
Extend For Height Adjustment, Rotation For Title Angle Adjustment




Non-slipping & Non-marking Crawler Track



Auxiliary Support for Last Staircase Design
Full Remote Operation, No Labor Intensity

ALL IN ONE WIRE CONTROLLER



○ **Function Display Screen**

○ **Multi-functional Button**

○ **Omnidirectional Joystick**



Function Integration, Remote Wire Control

- Ⓜ Power Switch
- 🔊 Speaker
- Ⓜ Loading Board Manual Adjust
- Ⓜ Loading Board Auto Adjust
- Ⓜ Rear Support Wheel Auto Extend
- Ⓜ Rear Support Wheel Withdraw
- Ⓜ Rear Support Wheel Extend
- Ⓜ Speed Plus
- Ⓜ Speed Reduction

CRAWLER ELECTRIC STAIR CLIMBER CT420S

TECHNICAL PARAMETER

| | |
|-----------------------|-----------------------------|
| Capacity | 420KG |
| Net Weight | 98KG |
| Battery Capacity | 1400-1600 Steps |
| Minimum Platform Size | 1500x1500MM (Stairs Corner) |
| Staircase Requirement | Height<21CM |
| Upstairs Speed | 10 Steps/Min (Low Speed) |
| (Full Load) | 13 Steps/Min (High Speed) |
| Downstairs Speed | 13 Steps/Min (Low Speed) |
| (Full Load) | 16 Steps/Min (High Speed) |



MAX1640MM
MIN1150MM



Pushing On Flat Surface



Loading Board Adjustment



Support Wheel Extend On Last Staircase

ACCESSORIES



Battery Pack

Parameters: 24V 17.5AH
Weight: 3.1KG



Charger

Input: AC100-240V
Output: DC29.4V 4A



Adjustable Safe Strap

Length: 6000MM
Width: 55MM



Height Adjustable Mobile Beam

Adjustable Installation Height

OPTIONAL ACCESSORIES



Ramp Accessories ZX400

Size: 1050x687x633MM
Load Capacity: 520KG
Net Weight: 19.6KG
Rise of Loading Board: 600-800MM



Electric Mini Lift ELS420

Load Capacity: 420KG
Net Weight: 18KG
Minimum Cargo Width: >980MM
Minimum Ground Clearance: >12MM



CRAWLER ELECTRIC STAIR CLIMBER CT420S

APPLICATIONS



Faster, Safer and Easier Deliveries On Stairs For Heavy Cargo

Widely Used In:

- Precision Instrument
- Large Home Appliance
- Office Equipment
- Vending Machine
- Safety Box
- Oil Drum



Ease Your Way To Every Stair!

xsto® XSTO CO.,LTD.

☎ +86-760-28207258

📍 Building C, 555 Plant, Ma' an Cun Rd, Cuiheng New District, Zhongshan City, Guangdong, China

🌐 <https://xstoclimbers.com>

